```
ACOUSTIC EFFECTS ON PAVEMENT SMOOTHNESS PERCEPTION
 1
 2
     By
     Bernard Igbafen Izevbekhai (Corresponding Author)
 3
 4
     Minnesota Department of Transportation
 5
     Phone 651 366 5454 Fax 651 366 5461
 6
     bernard.izevbekhai@state.mn.us
 7
 8
     Tim Nelson
9
     Minnesota Department of Transportation
     1400 Gervais Avenue, Maplewood MN55109
10
11
     Phone 651 366 5454 Fax: 651 366 5461
12
     tim.nelson@state.mn.us
13
14
15
     Figures 11 (X250) = 2750
16
     Tables
              1 (X250) = 250
17
     Words
                      = 4373
18
                       = <u>7373</u>
     Total
19
20
21
22
23
24
25
26
27
28
29
30
```

2 ABSTRACT

A study examined thirty one pavement test sections in the Minneapolis St Paul area to determine if tire pavement noise (OBSI) from the pavement surface affects perception of pavement smoothness (MPR). Forty six volunteers rode as passengers in 2010 Chevrolet Malibu sedans over the contiguous ¹/₂ mile long rigid or flexible pavement test sections scoring MPR. Results of MPR were compared to the International Roughness Index (IRI) measured with the digital inspection vehicle at the same time. The AASHTO TP 76-09 procedure for OBSI procedure for near field measurement was used to measure tire pavement noise. Using statistical analysis and tests, the MPR and OBSI were examined for correlation of the latter to anomalies in the former. OBSI did not seem to explain anomalies in MPR referenced from measured IRI. However, the sequencing of the test sections for the ride survey appeared to have influenced some of the ratings of some test sections. Moreover there was some evidence of correlation of IRI and MPR to OBSI. .

1 **INTRODUCTION**

- 2 The Minnesota Department of Transportation (Mn/DOT) is responsible for approximately
- 3 12,000 centerline miles of pavement surfaces. Each year, the pavement condition of the entire
- 4 trunk highway system is measured using a Pathway Services, Inc. Digital Inspection Vehicle
- 5 (DIV) that utilizes a total of five lasers and four digital cameras [1] (FIGURE 1).
- 6
- 7
- 8



- 9
- 10

FIGURE 1: Mn/DOT's Digital Pathways Van and OBSI Contraption

11

12 The DIV reads the longitudinal profile of the pavement while gathering information and 13 facilitating through data reduction, the assignment of frequency of occurrence and degree of 14 severity to faulting, rutting and the pavement roughness (International Roughness Index - IRI) 15 Cameras photograph the pavement surface to enhance determination of the severity and 16 frequency of various pavement surface distresses. This provides annual updates on the 17 VIDEOLOG, which is the statewide video file that facilitates a drive through the network by 18 proxy and remotely read IRI and pictures of the pavement surface. [1]. 19

20 In Mn/DOT's 20-year Transportation Plan, Ride Quality Index (MPR) is used to determine the

- 21 smoothness of the pavement from the perspective of an average traveler [2. It is the current
- 22 Mn/DOT appellation of terminal serviceability rating also known as ride quality index (RQI). It
- 23 is not transcribed from IRI as that process would make it an actual index but is a raw value from

1 1 to 5 assigned to a pavement ride evaluation where 5 is a perfectly smooth ride. DIV measures 2 the IRI thus facilitating in this study an establishment of correlations between IRI and the 3 public's perceptions (MPR). Survey was last completed in 1997 by thirty two volunteers that 4 rated 120 different test sections. Each test section was a quarter of a mile long and had a range 5 of various roughness conditions and pavement types. The survey volunteers rated the quality of 6 pavement ride on a scale of zero to five (worst to best). These results were then tabulated for 7 each test section and correlated to the IRI values that were collected at the same time. Two 8 equations were then created to correlate IRI values (inches per mile) to the MPR for bituminous 9 (equation 1.1) and concrete surfaces (equation 1.2) [3].

10

(Bituminous)	$RQI = 5.6972 - 0.264\sqrt{IRI}$	(Equation 1.1)
--------------	----------------------------------	----------------

(Concrete)	$RQI = 6.6341 - 0.353\sqrt{IRI}$	(Equation 1.2)
------------	----------------------------------	----------------

11

- 12 The pavement surfaces around the trunk highway system are thus rated according to these
- 13 equations. These correlations in true reflection of public perception will only change the public's
- 14 appreciation of smooth and rough roads changes [3].
- 15

16 **Study Objective**

- 17 This study examined thirty one test sections in the Minneapolis St Paul area to determine if the
- 18 noise (OBSI) from the pavement surface affects perception of pavement smoothness. By
- 19 examining test sections with anomalous IRI- MPR correlation, study investigates if OBSI

20 explains anomaly in MPR scoring.

21

22 SURFACE VARIABLES

23 **Pavement Rating**

24 Decisions for repair or replacements are usually contingent upon ride performance and surface

- 25 ratings. The pavement roughness and digital image data for the entire trunk highway system is
- 26 collected yearly with the Pathway Services, Inc. Digital Inspection Vehicle (DIV) that utilizes a
- total of five lasers, and four digital cameras. The data and images collected are then used to
- determine the Surface Rating, Pavement Quality Index and the Remaining Service Life [1].

2 Ride Quality Index (MPR)

3 The MPR is a measure of the pavement smoothness using a zero (rough) to five (smooth) scale. 4 Most new pavements have an initial MPR value of 4.2 and have a terminal MPR of 2.5. The 5 MPR represents the rating that a typical road user would give to the pavement's smoothness as 6 felt while traveling on the pavement. The MPR can be calculated by data measured from the 7 DIV and correlated using previous ride surveys. The measurement collected is called the 8 International Roughness Index (IRI) and it estimates the amount of vertical movement a standard 9 vehicle would experience if driven on the pavement [4]. IRI is a longitudinal profile in a 10 wheelpath and is a ratio of the vehicle's accumulated suspension motion divided by the distance 11 that was traveled [5].

12

13 Surface Rating (SR)

The pavement distresses visible on the pavement surface accounts for the SR and is rated on a scale of zero (impassible) to four (no distresses). Distresses such as cracks, patches and ruts are indicative of pavement deterioration. These visible defects are quantified using the SR and can be used to determine if future rehabilitation or maintenance is needed. The SR is determined by identifying the surface defects from the images of the pavement collected by the DIV and combined with weighing factors depending on the type of distress or severity. A pavement with no defects has a rating of 4.0 and one that needs rehabilitation or maintenance is around 2.0 [1].

22 Pavement Quality Index (PQI)

The PQI accounts for the pavement smoothness and the amount of surface distress (equation
2.1). It gives an index value for the overall condition of the pavement by finding the geometric
mean [1]. The PQI is on a scale of zero (impassible) to 4.5 (excellent condition).

$$PQI = \sqrt{(RQI)(SR)}$$
 (Equation 2.1)

26

27 **On-Board Sound Intensity (OBSI)**

28 Since it is hypothesized that noise may bias the perception for the ride quality, OBSI

29 measurements were needed to determine tire-pavement noise. OBSI records the tire-pavement

1 interaction noise at 60 miles per hour with sophisticated microphones installed near the contact

2 patch (FIGURE 1) [6].

- 3 OBSI testing is based on the interim protocol adopted by AASHTO in 2009 [7]. For the
- 4 analysis, an A-weighted logarithm scale was utilized to mimic the human hearing spectrum [8].
- 5 The sound intensity (SI) is the rate of acoustic energy transmission per unit area (W/m^2). Then,
- 6 the sound intensity level (SIL) is the logarithmic measure of the sound intensity in comparison to
- 7 a reference level (SI_0), which is measured in decibels (dB) (equation 2.2). The reference level is
- 8 the sound intensity at the threshold of human hearing (10^{-12} W/m^2) .

$$SIL = 10 \log_{10} \left[\frac{SI}{SI_0} \right]$$
 (Equation 2.2)

- 9
- 10 As a result, the OBSI is calculated by using the sound intensity level equation and totaling the
- 11 results from the 12 different sound intensity values found (equation 2.3).

$$OBSI = 10 \log_{10} \left[10^{(SIL_1/10)} + 10^{(SIL_2/10)} + \dots + 10^{(SIL_{12}/10)} \right] (Equation \ 2.3)$$

12

13 Therefore, an A-weighted equation was expatiated where *i* represents the 12 third octave

14 frequencies that are 400, 500, 630, 800, 1000, 1250, 1600, 2000, 2500, 3150, 4000, and 5000

15 hertz (equation 2.4).

$$OBSI = 10 \log_{10} \left[\sum_{i=1}^{n} 10^{(SI_i/10)} \right]$$
 (Equation 2.4)

16

Mn/DOT's equipment consists of a non-dedicated vehicle (2004 Chevrolet Impala) and four microphones connected via four communication cables to a Brüel and Kjær front-end collector routed to a laptop computer. A Standard Reference Test Tire (SRTT – ASTM F 2493) [9] with a mounted circular plate is used on the rear right side of the vehicle to stabilize the intensity meters during testing. The noise generated from the tire-pavement interaction is measured for five seconds while the vehicle is traveling at a constant speed of 60 miles per hour, thus averaging the OBSI over a 440 foot section.

24

The implication of an OBSI difference in terms of actual percentage reduction in sound level deserves explanation. A 3-dBA reduction is tantamount to approximately 50 percent loss of

- 1 sound intensity from a uniform source. If $OBSI_{(1)} OBSI_{(2)} = n$ and the respective sound
- 2 intensities are in Watts $/m^2$ are I₍₁₎ and I₍₂₎ respectively then
- 3 $10 \log \left(\frac{I_2}{I_0}\right) 10 \log \left(\frac{I_2}{I_0}\right) = n$ where I_0 is the sound intensity at the threshold of human hearing 4 Thus $\left(\frac{I_2}{I_0}\right) = 10^{\frac{n}{10}}$.

5 For instance where n=3, then ratio of actual sound intensity ratio is 2. Similarly, $\binom{I_2}{I_1}$ is 4 when n 6 is 6 dB.

7

8 EXPERIMENTAL DESIGN

9 **Description of Test Sections**

10 The test loop began from Minnesota Highway 36 just east of White Bear Avenue (heading east).

11 The loop traveled on Interstate 694, Interstate 494, Lake Road, Washington County State Aid

12 Highway 19, County State Aid 20, Minnesota Highway 95 and Interstate 94. It test loop ended

13 on Interstate 94 (heading west) near the US Highway 61 exit. A map to illustrate the loop is

14 shown below (FIGURE 2).

15 Thirty one test sections were surveyed. Each test section was half of a mile long, varied from

16 concrete to bituminous, had different distresses present and the speed limits varied. Also, some

17 of the test sections were on the interstate highway and others were on county roads. Each of the

18 test sections were given a landmark at the start of the test section and the starting odometer from

19 the start of the route was also used (TABLE 1). Contiguity of the test sections minimized

20 unnecessary travel during the survey.

21



1 2

2

3

FIGURE 2 – Test Section Map

4 2010 Ride Survey

5 Of the participants, 24 were male and 22 were female and also had a varying distribution in

6 occupations and ages. The participants in the study determined a roughness rating based on how

7 the ride felt over the test section. They rated it on a scale of 1 (impassable) to 10 (perfect).

8 Since the MPR is on a scale of 0 to 5, the ratings and MPR were considered to be on a linear

9 scale. Thus the ratings were halved to determine the MPR values of the test sections.

10 Participants were chosen to minimize biases in education, age and gender.

- 11
- 12

1 IRI Measurements

Directly following the rating vehicles, the DIV took IRI measurements for comparison. Since
the rating vehicles did four different trips with different people, the DIV had four different runs
with data. The data was averaged and the MPR was calculated using the equations from the
1997 ride survey (Table 1). This information was then compared with the MPR values that the
2010 ride survey determined.

7

8 **OBSI Measurements**

9 OBSI measurements were performed after the survey rated the test sections, but the 10 month/season was still the same. In each test section, three continuously tested OBSI 11 measurements were taken. OBSI was measured following the same sequence as the rating 12 survey vehicles. OBSI completed the loop twice at 60 miles per hour, meaning a total of six 13 measurements per test section. These measurements were then averaged to give the OBSI value 14 for the various test sections.

15

In addition to normal OBSI testing, the testing was also performed at the speed limit for the various roads. It was hypothesized that OBSI numbers would be more germane to the actual noise that the public was hearing because the tire-pavement noise is affected by the speed of the vehicle [10]. For this testing, a total of three measurements were created and they were averaged for each test section.

- 21
- 21

23

- 24 25
- 26
- 27
- 28

- 30
- 0.1
- 31

2 **TABLE 1: Results of Ride and Noise Survey.**

Section	User	Mean	Pavt	Mean		Mean	OBSI	OBSI	Test
ID	Rating	MPR	Туре	IRI	Mean	1997	Mean	Mean	Speed
					RN	MPR	(Runs 1	Run 3	for Run
							& 2)		3 (mph)
1	6.7	3.4	BIT	62.15	3.87	3.6	102.9	102.1	55
2	8.5	4.3	BIT	44.03	4.34	3.9	102.3	101.6	55
3	7.8	3.9	CON	44.07	4.10	4.3	103.3	103.2	60
4	8	4.0	BIT	57.73	4.12	3.7	103.9	104.1	60
5	8.1	4.1	CON	31.60	4.45	4.7	103.7	103.9	60
6	7	3.5	BIT	158.89	3.31	2.4	103.7	96.0	35
7	4.7	2.4	BIT	145.26	2.28	2.5	102.8	97.2	45
8	4.3	2.2	BIT	196.30	1.54	2.0	106.4	105.4	55
9	5.2	2.6	BIT	164.60	1.98	2.3	106.0	105.2	55
10	6	3.0	BIT	108.34	2.35	2.9	105.8	105.2	55
11	6.1	3.1	BIT	118.41	2.69	2.8	105.6	105.2	55
12	5.2	2.6	BIT	147.25	2.15	2.5	105.4	105.4	55
13	4.9	2.5	BIT	155.88	2.15	2.4	106.0	105.0	55
14	5.6	2.8	BIT	130.07	2.36	2.7	105.9	104.9	55
15	7.8	3.9	BIT	65.40	3.98	3.6	102.1	101.3	55
16	7.7	3.9	BIT	63.64	4.14	3.6	103.1	102.6	55
17	6.4	3.2	BIT	87.33	3.40	3.2	103.7	103.3	55
18	6.7	3.4	BIT	82.00	3.42	3.3	103.2	103.0	55
19	5.8	2.9	BIT	91.08	1.96	3.2	103.9	103.8	55
20	7.2	3.6	CON	52.19	3.53	4.1	104.9	106.4	65
21	7.3	3.7	CON	51.73	3.84	4.1	105.0	106.6	65
22	6	3.0	CON	60.62	3.35	3.9	105.6	106.7	65
23	6.5	3.3	CON	60.10	3.67	3.9	105.6	106.9	65
24	6.6	3.3	CON	61.79	3.61	3.9	106.0	106.9	65
25	6.2	3.1	CON	62.32	3.72	3.9	105.9	107.1	65
26	5.9	3.0	CON	62.98	3.63	3.8	105.9	107.1	65
27	6	3.0	CON	69.24	3.38	3.7	105.7	106.8	65
28	6.6	3.3	CON	103.30	3.40	3.0	108.6	110.1	65
29	6.8	3.4	BIT	70.30	3.57	3.5	104.4	103.3	55
30	4.2	2.1	CON	170.51	2.53	2.0	107.4	98.5	30*
31	5.2	2.6	CON	146.66	2.86	2.3	107.2	101.1	30*

*Tested below speed limit due to excessive traffic

1	
2	
3	ANALYSIS OF DATA
4	To analyze the data and ascertain if OBSI explains anomalies in IRI MPR correlations, the
5	following analytical steps were performed:
6	• Curve fitting and identification of outliers
7	Analysis of Anomalous Data Points
8	• Sequence examination
9	The rating values and the MPR values that the survey determined from the trip around the test
10	sections was determined based on the averages from all of the participants (TABLE 1). The
11	average IRI values from the DIV and the calculated MPR values and the noise measurements
12	were tabulated for the two types of runs that were completed are shown in TABLE1. RN was
13	also obtained from the DIV.
14	
15	
16	
17	
18	Curve Fitting and Identification of Outliers
19	This comparison determines how well the 1997 ride survey's MPR equations still relate to the
20	smoothness based on current (2010) test. The 2010 MPR values determined from the ride survey
21	should correspond directly to the MPR values that were calculated from the DIV-generated 2007

22 interpolations (FIGURE 3).



1 FIGURE 3: Measured Vs Computed Ride Quality Index

As shown in FIGURE 3 a gross outlier was observed in section 6 (Lake Road) Analysis of data without the outlier showed a much better fit (FIGURE 3) for the flexible pavements. The rigid pavement test sections are consistently "underrated" and only three of the thirteen concrete test sections had a similar rating to the MPR. The underrated test sections appear to have a similar slope to the ideal line (FIGURE 4).

6



7 8



9 This shift in perception implies that based on the 1997 rating compared to 2010 rating, there has 10 been a change in perspective as to how concrete pavements ride or should ride. This perspective 11 did not seem to be affected by age but across the board, tolerance for poor ride in concrete 12 pavements appeared to have decreased. This can be attributed in part to improved pavement 13 standards including 60 year designs, better load transfer mechanisms (FIGURE 4), improved mix 14 designs (well graded aggregate, low water/ cement ratio) and high pozzolan substitution, and

- 1 other improved practices to which people are now accustomed. Current incentive specification
- 2 has also favored a higher standard of paving,



a) - Use of Stainless Steel Dowel Bars in Increase Load Transfer Efficiency



b) - Use of "Ski" During Asphalt Paving to Increase Smoothness of Ride

- 3 **FIGURE 5: Efforts to Improve Ride Quality during Paving**
- 4

5 In asphalt pavements efforts have been made over the last 14 years to improve ride by the use of

6 sonic devices including the "ski" (FIGURE 5b) that senses the surface just before paving and

1 minimizes local amplitudes that would otherwise cause poor ride. However, improvement

- 2 between 1997 and 2010 was not observed by the raters.
- 3 By comparing the 2010 MPR equations with the ones from 1997, it is possible to ascertain if
- 4 public's perception on pavement smoothness has changed. Such comparison will accentuate
- 5 anomalies from any of the test sections that affect the correlation between IRI and OBSI
- 6 particularly if the OBSI is unusually influential. From the equations from the 1997 ride survey,
- 7 the form of the equation will be maintained in a certain form (equation 5.1) in which the
- 8 Mn/DOT pavement management unit has established indices from ratings. In the equation, k_1
- 9 and k_2 are constants that will be solved for to make the curve fit the best.

$$RQI = k_1 - k_2 \sqrt{IRI} \qquad (Equation \ 5.1)$$

10

11 The calculated MPR from equation 5.1 was compared to the MPR values that the ride survey

12 determined and the sum of the squared residuals was evaluated and minimized. The MPR

- 13 equations for bituminous and concrete pavement structures was thus determined (equations 5.2
- 14 and 5.3, respectively) using curve fitting techniques.(*Bituminous*) $RQI = 5.8306 0.269\sqrt{IRI}$ (*Equation 5.2*)

(Concrete)
$$RQI = 5.0278 - 0.215\sqrt{IRI}$$
 (Equation 5.3)

15

16 The 1997 MPR equations were then compared with the 2010 MPR equations (FIGURE 6).



FIGURE 6 – MPR Equations Comparison

3

1 2

4 That chart shows that the public's perception toward the bituminous pavements has not changed,

5 but it seemed to have changed towards concrete pavement surface. The 2010 MPR values favor

6 the middle ratings more than the higher or lower numbers, but the lines cross at approximately

7 when the MPR equals 2.5. This line for the 2010 MPR shows that the public is a little more

8 forgiving of rougher concrete pavement than in the past.

9

10 Analysis of New MPR Equations with Test Sections

11 Using the new 2010 MPR equations, the public's perception on the MPR was graphed and the

12 correlation between the two was compared (FIGURE 5.7).





3

FIGURE 7 – Measured MPR and Calculated MPR Relationship

As shown in FIGURE 7, both the bituminous and concrete test sections follow the intended path.
Test section 6 was once again an outlier on this graph. The data was well scattered along the
ideal line of the MPR values. To determine statistical significance, of the MPR values from the
ride survey P-values were determined.

8 P-value is defined as the evidence against the null hypothesis. Typically the null hypothesis 9 proposes that there is no correlation between 2 variables. The alternate hypothesis states that 10 there is a correlation between two variables that one is at least associative to the other. The P-11 value is a measure of the likelihood of encountering a type 1 error which is said to occur when 12 the null hypothesis is true and the research shows it to be false. This is a false alarm. A type 2 13 error occurs if the alternate hypothesis is true and the data or research fails to reject the null 14 hypothesis. This is a failed alarm. Other statistics include statistical power which is based on the 15 confidence level; a degree of certainty required that is based on β the likelihood of a type 2 error 1 and the size of the experiment or sample space. A rejection of the null hypothesis can be done

2 unequivocally. However, the alternative is a failure to reject the null hypothesis which is not the

3 same as acceptance of the alternate hypothesis.

4 The non-Bayesian field of statistics utilizes all available information or data and draws a

- 5 conclusion. The Bayesian approach builds an inference on existing or prior data. Subsequent data
- 6 serves as added information. In Bayesian statistics, a type 1 error is one that looks at information
- 7 that should not substantially change one's prior estimate of probability, but does. A type two
- 8 error is that one looks at information which should change one's estimate, but does not.
- 9 P-Value for 1997 BIT and 1997 PCC were 4.65E-06 and 0.000144 respectively. P-value for
- 10 2010 BIT and 2010 PCC were 4.41E-06 and 0.000129 respectively. Since all of the P-values
- 11 are below 0.05, it fulfils 95 percent confidence level that the data between the ride survey and the
- 12 various MPR equations are statistically similar.

13 14



FIGURE 8 – MPR and OBSI Relationship

1 **Examination of Individual Data Points of Anomalous IRI-OBSI Negative Correlation** 2 It is not known if acoustic perception of tire pavement noise could bias some raters. If it did, it 3 could partly explain why the concrete test sections were rated differently in 2010 from 1997. 4 The tire-pavement interaction noise was measured using OBSI and this was compared with the 5 MPR values from the public (FIGURE 8). The trends for the bituminous and concrete test 6 sections are similar (FIGURE 8). As the pavement gets noisier, the MPR decreases. To 7 determine if the ratings of the pavement smoothness was biased by on the tire-pavement 8 interaction noise, they were graphed together to determine if a trend existed (FIGURE 9). 9 If pavements that ride poorly are likely to be noisy, the OBSI and MPR lines should have a 10 similar pattern as it moves from test section to test section. For the true OBSI values, the pattern 11 is similar to that of the MPR for about half of the test sections. Furthermore in the case of the 12 noise values taken at the speed limit, a little less than half the data follows the same pattern as the 13 MPR values. From these charts, it was still unclear if the noise biased the ratings. It was then 14 deemed necessary to plot the residuals from the new MPR equations against the sound intensity 15 values and determine if there was a correlation between the residuals and OBSI. The bituminous 16 chart and the concrete chart are shown in FIGURE 9a and b respectively.

17

18 Sequence Examination

19 The ratings of the test sections appear to be influenced by the sequence that the sections were 20 tested. It is logical to expect that volunteers retain information by the previous section when 21 rating the next section. This is evident by test section 6 (Lake Road). The previous section was 22 on I-494 (concrete) and then this section was on bituminous at a reduced speed. Test section 6 23 was almost 8 decibels lower than test section 5 when tested at the speed limit. Eight decibels 24 will be a noticeable drop in noise and that is the most likely reason to why the test section had a 1.1 increase in the MPR value from the 1997 calculated MPR. 25 26 Sequence is also noticeable on the concrete test sections taken from I-94 (sections 20-27). The 27 first test section in this series had an average MPR value of 3.6 which was 0.5 less than the 28 calculated MPR value. The subsequent test sections had a decreasing calculated MPR value and

29 thus the MPR value from the ride survey followed this trend, but because the first test section in

30 this series had a lower MPR, that trend continued throughout the test sections. Figure 10 plots the

- 1 RQI residual against OBSI. This may indicate that tire pavement interaction noise does not
- 2 explain anomalies in the pavement rating.





3 Re-Examination of Data using Ride Number Instead of IRI

- 4 It is noted that IRI may not be as sensitive to certain dominant surface wavelengths as Ride
- 5 Number (RN). The latter is characterized by a gain algorithm that accommodates a better range

1 of common surface waveforms. It was hypothesized that RN may therefore be a better variable

2 than IRI in evaluating the effect of certain surface features. Similar analysis, of curve fitting,

3 examination of outliers and sequence were performed with RN instead of IRI.

4

5 The plot on the right (FIGURE 11) shows the sensitivity of the IRI to various wavelengths. The 6 three-foot length of most dips corresponds to one wave cycle per meter. The gain factor in the 7 IRI plot for this wave number is about 0.2 so it has limited impact on the IRI used to calculate 8 the RQI. Ride Number (RN) estimates the roughness a car passenger perceives as a function of 9 wave numbers. Here, the same wave number has a gain factor of about 0.8. Therefore, the RN 10 is much more sensitive to the dip than the IRI or derived RQI is.





12 13

Figure 11: Comparison of Gain Algorithms of IRI to RN (4).

14 15

16 However, in the sections tested and with the data obtained, the anomalies in rating when

17 compared to RN, anomalies were not explained by OBSI and there was evidence of sequencing

18 effect similar to what was observed with IRI

- 19
- 20
- 21

Page 23 of 25

1 CONCLUDING REMARKS

2 This study examined MPR IRI AND OBSI of 31 contiguous sections to ascertain the possibility 3 of pavement noise influencing anomalous rating. Based on the analysis conducted, but there is no 4 tenable statistically significant evidence that OBSI explains anomalies in MPR. 5 6 Instead there was evidence of correlation of OBSI to IRI and MPR implying that rougher 7 pavements tend to be noisier. 8 9 Sequencing of the test sections probably biased some of the ratings. The succession of 10 Concrete section (test section 5) by a bumpy bituminous surface (test section 6) may have biased 11 the rating of the latter. This anomaly was observed in the transition from Manning Avenue to 12 interstate 94 in a reverse form. It may however require further testing to and a larger data set to 13 unquestionably attribute anomalous ratings to sequencing in general but this study may have 14 been influenced by that psycho acoustic phenomenon. This is the first payement rating that was 15 followed immediately by a noise evaluation. The effect of age of pavements and the noise 16 spectral changes are not known. Subsequent pavement rating should include corresponding 17 noise evaluation in order to increase the sample space and fully examine the sequencing 18 phenomenon. 19 20 REFERENCES 21 Janisch, David. (2009) "2009 Pavement Condition Executive Summary." Minnesota [1] 22 Department of Transportation. Dec. 2009. 23 <http://www.dot.state.mn.us/materials/pvmtmgmtdocs/execsumm 2009.pdf> (Assessed 24 26 December 2010). 25 Minnesota Department of Transportation (2009) "Minnesota Statewide Transportation [2] 26 Plan 2009 – 2028." Minnesota Department of Transportation. Jan. 2009. Janisch, David. "An Overview of Mn/DOT's Pavement Condition Rating Procedures 27 [3] 28 and Indices." Minnesota Department of Transportation. May 2006. 29 <http://www.dot.state.mn.us/materials/pvmtmgmtdocs/Rating_Overview_State.pdf> 30 (Assessed 26 December 2010).

1	[4]	Sayers, Michael W. and Steven M. Karamihas. (1998) "The Little Book of Profiling."		
2		University of Michigan – Transportation Research Institute. Sept. 1998.		
3		http://www.umtri.umich.edu/content/LittleBook98R.pdf (Assessed 26 December		
4		2010).		
5	[5]	"Roughness." WSDOT Pavement Guide.		
6		http://training.ce.washington.edu/wsdot/Modules/09_pavement_evaluation/09-		
7		2_body.htm#measurement> (Assessed 26 December 2010).		
8	[6]	Dick, E.B., Izevbekhai, B., and Tim Casey. (2010) "Influence of Pavement on Traffic		
9		Noise – Statistical Pass-By Measurements of Traffic on Several Interstate Pavements."		
10		Minnesota Department of Transportation MN 2010-45. Dec. 2010.		
11				
12	[7]	AASHTO TP 76-09 (2009). Standard Method of Test for Measurement of Tire-		
13		Pavement Noise Using the On-Board Sound Intensity (OBSI) Method.		
14	[8]	Johnson, Eddie N., Bernard Izevbekhai, and Roger Olson. Thermoplastic Inlay Pavement		
15		Markings: Field Performance and Effect on Hot Mix Asphalt. In Transportation Research		
16		Record: Journal of the Transportation Research Board, No. 2552, Transportation		
17		Research Board of the National Academies, Washington, D.C., 2009.		
18				
19	[9]	ASTM Standard Specification for P225/60R16 97S Radial Standard Reference Test Tire.		
20		ASTM F 2493, 2008.		
21				
22	[10]	Donavan, Paul R. and Dana M. Lodico. "Measuring Tire – Pavement Noise at the		
23		Source." NCHRP Report 630, Transportation Research Board, 2009.		
24				
25	ACK	NOWLEDGEMENTS		
26	Mn/DOT's Karla Raines and Office Director Keith Shannon facilitated the provision of			
27	volunteers for the survey. Curt Turgeon and Maureen Jensen provided the initiative to measure			
28	pavement noise behind the rating crew. David Janisch provided ride data. Steve Olson and John			
29	Pante	is measured sound intensity levels in the thirty one test sections.		
30				
31				

DISCLAIMER

- 2 This research paper presents results of the research conducted by authors and do not necessarily
- 3 reflect the opinions or constitute a standard for Mn/DOT or other entity.