


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 4705
TRUNK HIGHWAY 12
COUNTY Meeker
DISTRICT 8A

LIMITS: S. Jct. T.H. 22 in Litchfield & E. Co. Line



YEAR BUILT	PROJECT NO.	DESCRIPTION			CODE NO.
		TYPE	WIDTH	THICKNESS	
		Earth			No Record of Const.
1920	12-10-2	Grading Gravel Br. 3116	24' 20' 20'	3" 3"	1200 C.Y./Mile. 45 D.G.
1921	12-10-21	Grading	30'		
1921	12-10-27	Br. 3535	22'		20' C.S.
1921	12-10-25	Grading	50'		
1922	12-10-25	Gravel	24'	3"	1445 C.Y./Mile.
1922	12-10-4	Gravel	24'	4"	1857 C.Y./Mile.
1922	12-10-14	Asphalt Concrete Base	40' 40'	2" 5-6"	Not used until 1929.
(U)	1929	Grading Br. 4814 & 2761	40'		Y1010D & Y1010
1928	12-10-53	Gravel	34'	3/4-2 1/2"	920-1485 C.Y./Mile.
1929	12-10-53	Gravel	34'	3/4-2 1/2"	1000-1485 C.Y./Mile.
1930	12-10-53	Concrete	20'	9-7-9	
C	1952	4705-04	Hot Asphaltic Conc.	50'	2" added
C	1956	A.F.E. 819 A.F.E. 824	Install S.C. Culverts Remove broken tile & Install C.M. Culverts		



YEARS FROM	YEARS TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.
1921	1921	15.09	11.08	0.01	4.03	0.00	12.85	0.01	1.23	0.00
1921	1927	4.77	11.08	0.01	3.71	0.00	12.85	0.01	0.91	0.00
1928	1928	2.74	11.01	0.00	3.73	0.00	12.83	0.00	0.91	0.00
1928	1929	13.87	10.07	0.00	3.80	0.00	13.07	0.00	0.80	0.00
1930	1930	13.86	10.07	0.00	3.79	0.00	13.06	0.00	0.80	0.00

REMARKS: Layout is to scale as of 1930

(U) 6.07 Mi. of new construction, from 3.04 Mi. N. of Dassel to E. Co. Line, in use in 1928

