


PREPARED BY
TRAFFIC AND PLANNING DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0980 D
TRUNK HIGHWAY 35
COUNTY Carlton
DISTRICT 1A

LIMITS: C.S.A.H. 4 - E. Co. Line

YEAR BUILT	PROJECT NO	DESCRIPTION			
		TYPE	WIDTH	THICKNESS	REMARKS
C	0980-02	Grading, 12" Select Gran.			Divided Highway
1966	0980-37	Gravel & Bit. Base Asphaltic Conc. 3.75 mi.	2@24'	4" & 4 1/2"	
C	0980-9188 & 9189	Br's. 9188 & 9189	70' & 70'		Both 244' B.S.-O.H.
1966	0980-9469	Br. 9469			211' P.P.G.-U.P.
	0980-09801	Br. 09801			763' B.S.-U.P.
C	0980-09802	Br. 09802			211' P.P.G.-U.P.
1966	0980-09807 & 09804	Br's. 09807 & 09804	78' & 78'		Both 188' B.S.-O.H.
	0980-09805 & 09806	Br's. 09805 & 09806	79' & 79'		Both 162' B.S.-O.H.
C	0980-26	Grading, Select gran. * Gravel & Bit Base Asphaltic Concrete	*24'	4" & 4 1/2"	Divided Highway
1967	0980-9824	Br. 9824	30'		309' B.S.-O.H.
1967	0980-9823	Br. 9823	30'		323' B.S.-O.H.
	0980-91081 & 91082	Br's. 91081 & 91082			Both are C1010D
C	0980-91083 & 91084	Br's. 91083 & 91084			Both are C128D
1967	0980-9467 & 9468	Br's. 9467 & 9468	41' & 40'		Both are 176' B.S.-O.H.
C	0980-32	Grading			Divided Highway
1970	0980-46	Pl. Mix Bit Base Asphaltic Concrete	2@24'	3 1/2"	Pl. Mix Bit Shoulders
C	0980-74	Asphaltic Conc. Overlay	48'	5/8"	
C	1974 -60	Grading			
	1035-6(11)242				
C	1974 -34	Grading			
	1035-6(11)243				
C	1974 -59	Gravel Base P.C. Conc. Surf.	2@30'	6"	Asphaltic Conc. Surf. For first 2.16 Mi.
	1035-6(12)242	Pl. Mix Bit. Shldrs.	2@24'	9"	10' out & 3' in
C	1974 -60	Br. 09807	40'		485' B.S.-O.H.
	1035-6(11)242	Br. 09808	40'		485' B.S.-O.H.
C	1974 -34	Br. 09825, 09826	40'		Both 150' P.P.G.-U.P.
	1035-6(11)243	Br. 09827, 09828	40'		Both 171' P.P.G.-U.P.
		Br. 09822	46'		204' P.P.G.-U.P.
C	1974 -34	Br. 09829	32'		278' P.P.G.-U.P.
	1035-6(11)243	Br. 09830	32'		286' P.P.G.-U.P.



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1966	1966	3.70	3.59	0.11	0.00	0.00	3.59	0.11	0.00	0.00
1967	1969	7.19	7.04	0.15	0.00	0.00	7.04	0.15	0.00	0.00
1970	1973	11.86	11.71	0.15	0.00	0.00	11.71	0.15	0.00	0.00
1974	1974	17.73	17.28	0.45			17.28	0.45		
1974	1974	17.73	14.85	0.17	2.15	0.28	14.85	0.17	2.15	0.28

REMARKS: Layout is to scale as of 1966.
(1) Temp. Conn. to T.H. 61 for 0.28 mi. not included in above mileage.

