

PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 8005
TRUNK HIGHWAY 71
COUNTY Wadena
DISTRICT 3(BA)(2A)

LIMITS: Jct. T.H. 227 in Sebeka - N. Co. Line

Sebeka
0.62 Mi.

PLAN
Menahga
2.13 Mi.

General Direction \rightarrow Z

T.H. 27

U.S. 9299

C.S.A.H. 7

Blueberry
Creek

Hubbard
Wadena
Co.

SCALE: 1" = 1/2 MI.

YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o DIST
		TYPE	WIDTH	THICKNESS	
1925	71-4-29-3C	Grading (1) Br. 294	32' 16'		60LT
1925	71-4-29-3C	Clay	24'	2.7"	
1926	71-4-29-3C	Gravel	24'	3 1/2"	1600 CY/Mile.
1929	71-4-29-3C	Br. 4168	23'		50 L.T.
(2)					
1930	71-4-29-3C	Oil Tr. Gravel	30'	1"	13437 Gal./Mile. Maint. Dept.
(2)					
1931	71-4-29-3C	Oil Tr. Gravel	30'	1"	Maint. Dept.
1934	71-4-29-3C	Bit. Gravel Lift.	22 1/2' 2'-3"	2"	16357 Gal./Mile.
M					RT-6,1369 Gal./Mi. Agg. 42 C.Y./Mi.
1940	A.F.E. 60	Bit. Seal Coat (Spots)			
M					RC-3,5654 Gal./Mi. Grav. 322 C.Y./Mi. Maint. Dept.
1941	A.F.E. II	Bit. Retreat	24'		
M					RC-3,3684 Gal./Mi. Sand 101 C.Y./Mi. Maint. Dept.
1941	A.F.E. 41	Bit. Seal Coat	24'		
M					MC-2,1924 Gal./Mi. Agg. 68 C.Y./Mi. Maint. Dept.
1943	A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		
M					MC-2 & 3, 7738 G./Mi. Grav. 439 C.Y./Mi. Maint. Div.
1945	A.F.E. 4	Bit. Surf. Repair	24'		
M					MC-3,1654 Gal. Agg. 1298 Tons
1947	A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		
C					MC-3,5941 Gal. Agg. 4568 Tons
1947	A.F.E. 18	Bit. Resurfacing Mixed Bit.	24'	1"	

T.H. 227

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

U.S. 9299

C.S.A.H. 7

YEARS FROM	TOTAL MILES TO	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
		ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.
1925	1358	12.53	0.00	2.95	0.01	12.52	0.01	0.00	0.00
1958	1249	9.54	0.00	2.95	0.02	12.47	0.02	0.00	0.00

REMARKS: Layout is to scale as of 1925.

- (1) Br. 294 built in 1912.
- (2) This work not done under this project number but lies within the limits of this project.


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD


CONTROL SECTION 8007
TRUNK HIGHWAY 71
COUNTY Wadena
DISTRICT 3(3A)(2A)

LIMITS: Jct. T.H. 227 in Sebeka - No. Co. Line

Ref. Pt. 238+00.894 - 251+00.366



YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o DIST.
		TYPE	WIDTH	THICKNESS	
M	1950 A.F.E. 4	Bit. Fog Seal	24'		
M	1952 A.F.E. 4	Bit. Surf. Repair	44'		
M	1953 A.F.E. 605	Light Bit. Seal	24'		
M	1955 A.F.E. 604	Spot Treat. Bit. Surf. Repair	24'		
C	1956 8005-02	Construct Dyke			
C	1959 8005-04	Grading, Gravel Road Mix Bit. (Base)	26'	1 1/2"	1959
C	8005-05	Br. 9249	30'		
C	1964 8005-06	Gravel & Bit. Base Plant mix Bit. Shoulders & Curbings	24'	3"	
C	1978 8005-07	Bit. Shoulders Right Turn Lanes	10'	1 1/2"	
C	1980 11	Bit. Shoulders	9'	1 1/2"	
C	1993 8005-13	MII & Bit. Overlay	26'	Var.	
C	1994 8005-14	Bit. Overlay	24'	Var.	
M	1995 8005-95068	Major Crack Repair			
M	1998 8005-17	Aggregate Seal			
M	1999 8005-99212	Shoulders Gravel Surfacing	5'	1 1/2"	



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet No. 1

