



- 1. GROUND MOUNTED SQUARE TUBE SIGN STRUCTURES PLACED WITHIN 50'OF THE RADIUS END OF AN INTERSECTION SHALL BE PLACED ON ONE 2"OR 2-1/2" POST.
- 2. FOR 2" SQUARE TUBE RISER POST IN SOIL, USE FIN BASE PLACED PER MANUFACTURER'S SPECIFICATIONS. USE A 2" X 2" PRE-PUNCHED, GALVANIZED STEEL, SQUARE TUBE RISER POST, PLACE 3/8" STAINLESS STEEL BOLT THROUGH THE 5TH HOLE DOWN FROM THE TOP OF THE BASE. RISER POST SHALL REST
- 3. FOR 2-1/2" SQUARE TUBE RISER POST IN SOIL, USE SLIP BASE PLACED PER MANUFACTURER'S SPECIFICATIONS USING A 10 GAUGE ,2-1/2" X 2-1/2" PRE-PUNCHED, GALVANIZED STEEL, SQUARE TUBE RISER POST WITH A 10 GAUGE 2-3/16" X 2-3/16" PRE-PUNCHED, GALVANIZED STEEL, SQUARE TUBE INTERNAL INSERT.

## SPECIFIC NOTES:


- ① IF ANY PART OF A SIGN OR SIGN ASSEMBLY EXTENDS MORE THAN 4" INTO THE PEDESTRIAN FACILITY, THE MINIMUM HEIGHT TO BOTTOM OF THE SIGN OR SIGN ASSEMBLY SHALL BE 7'.
- ② 6'-12'FROM EDGE OF ROADWAY, MUST BE A MINIMUM OF 6'FROM EDGE OF PAVED SHOULDER (WHEN PRESENT).
- ③ IF GROUND MOUNTED TEMPORARY SIGN OR SIGN ASSEMBLY IS PLACED ON 2-1/2" SQUARE TUBE RISER POST(S), THE MINIMUM CLEARANCE FROM THE GROUND LINE TO THE BOTTOM OF THE LOWEST SIGN ON THE ASSEMBLY SHALL BE 7', OR AS SHOWN IN DETAIL, WHICHEVER IS GREATER.
- 4 5'MINIMUM IN RURAL. 7'MINIMUM IN BUSINESS, COMMERCIAL, OR RESIDENTIAL AREAS.
- ⑤ WHEN MULTIPLE GROUND MOUNTED SIGN STRUCTURES ARE PLACED ADJACENT TO EACH OTHER THERE SHOULD BE NO MORE THAN 2 POSTS WITHIN 84"OF EACH OTHER. WHEN THIS SPACING CAN NOT BE MAINTAINED, THEN SIGN STRUCTURES SHALL BE OFFSET, AND STAGGERED WITH A MINIMUM OF 4'BETWEEN SIGN STRUCTURES BOTH LATERALLY AND LONGITUDINALLY. EXAMPLE SHOWS DETOUR SIGNAGE, BUT THIS REQUIREMENT APPLIES TO ALL SIGNAGE.
- 6 INPLACE AND/OR OTHER CONSTRUCTION SIGNING.




TYPICAL RURAL DESIGN AND 2" RISER POST




TYPICAL RURAL DESIGN WITH SUPPLEMENTAL PLAQUE AND 2" RISER POST




TYPICAL RURAL DESIGN WITH SUPPLEMENTAL PLAQUE AND 2-1/2" RISER POST



TYPICAL RURAL DESIGN 2-1/2" RISER POST



OR RESIDENTIAL AREA



TYPICAL G20-X2 DESIGN

NOT TO SCALE

MINNESOTA

⟨┴⟩

DETOUR

WEST

MINNESOTA 47

 $\Rightarrow$ 

 $\langle -$ 

~ MINNESOTA

DETOUR

EAST

MINNESOTA

 $\langle -$ 

**OFFSET** 

4'MIN

OFFSET

CONSTRUCTION SIGN POST OFFSET SPACING

(5)

ΤO

INTERSTATE

7 MINNESOTA